

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	45	(US-6446259-\$ or US-6339840-\$ or US-6330717-\$ or US-6275980-\$ or US-6253371-\$ or US-6243863-\$ or US-5852734-\$ or US-6223281-\$ or US-5999987-\$ or US-5956479-\$ or US-5943674-\$ or US-5937192-\$ or US-5832272-\$ or US-5613120-\$ or US-5671431-\$ or US-5634059-\$ or US-5598561-\$ or US-5603030-\$ or US-5452461-\$ or US-5371891-\$ or US-6738977-\$ or US-6640255-\$ or US-5088034-\$ or US-6438746-\$ or US-6385661-\$ or US-6311265-\$).did. or (US-6256779-\$ or US-6230213-\$ or US-6216262-\$ or US-6161147-\$ or US-6343374-\$ or US-6011918-\$ or US-5999734-\$ or US-6092097-\$ or US-6604182-\$ or US-5524242-\$ or US-6622301-\$ or US-6484247-\$ or US-6134540-\$ or US-6813522-\$ or US-6684393-\$ or US-5737605-\$ or US-5684955-\$).did. or (EP-415497-\$ or WO-3065206-\$).did.	USPAT; EPO	OR	ON	2006/09/28 11:48
S2	161	compil\$5 and intermediate same (type or class) near information	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 15:05
S3	72	S2 and @ad<"20001005"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 13:26
S4	345	compil\$5 and intermediate same (class or object) same (construct\$4 or destruct\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 13:26
S5	172	S4 and @ad<"20001005"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 15:09
S6	36	("5129083" "5187786" "5206951" "5297284").PN. OR ("5371891").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/28 14:16

EAST Search History

S7	185	717/146.ccls. and (object or class) and @ad<"20001005"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 14:52
S8	29	S7 and (type near information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 15:02
S9	12	S7 and (constructor or destructor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 15:02
S10	16	intermediate near (code or language or representation) same (constructor or destructor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 15:08
S11	111	intermediate near (code or language or representation) same (point\$3 or address) same (class or object) same (method or function or member)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 15:21
S12	34	S11 and @ad<"20001005"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 15:21
S13	217	intermediate near (code or language or representation) same class same (method or function or member)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 15:52
S14	39	S13 and @ad<"20001005"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 15:53
S15	43	("5257371" "5339438" "5410705" "5418964" "5437025").PN. OR ("5613120").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/28 15:41
S16	604	compil\$5 and intermediate near (code or language or representation) and (declar\$5 or instantiat\$3) with (object or class)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 17:04

EAST Search History

S17	175	S16 and @ad<"20001005"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 17:05
S18	154	compil\$5 same parallel\$7 same intermediate near (code or language or representation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 17:05
S19	80	S18 and @ad<"20001005"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 17:05
S20	106	compil\$5 same object near oriented same intermediate near (code or language or representation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 08:50
S21	28	S20 and @ad<"20001005"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 08:51
S22	119	compil\$5 and object near oriented and front near end and back near end and intermediate near (code or language or representation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 08:50
S23	60	S22 and @ad<"20001005"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 08:51